



Raz-AP600

RazBari Attendant Propel

MSRP – USA – USD
Effective Apr. 1, 2021

Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Raz-AP600 Heavy Duty Mobile Shower Commode Chair with stainless steel frame, flip-up padded arm supports, heavy duty foot supports, four dual-locking 5" (125mm) casters and commode pan. User weight over 450 lbs. requires 6" (150mm) casters (Z66AP). **User weight capacity 600 lbs.** See our [Evaluation and Justification Form](#).

1. Chair Codes by size – Must Choose One

Chair Code	Seat Frame Width	MSRP
Z16022	22"W Frame	\$2,295
Z16024	24"W Frame	\$2,520
Z16026	26"W Frame	\$2,945
Z16028	28"W Frame	\$3,170
Z16030	30"W Frame – Requires custom seat	\$3,395

2. Seats – Must Choose One

Molded and Visco Foam Interface Seats			
Z4M23	Molded 23"W x 18"D – Front Access	Fits 22" / 24"W ¹ frames only	N/C
Z4M26	Molded 26"W x 18"D – Front Access	Fits 26" / 28"W ¹ frames only	N/C
Z4V23	Visco Foam Interface 23"W x 18"D – Front Access	Fits 22" / 24"W ¹ frames only	\$595
Z4V26	Visco Foam Interface 26"W x 18"D – Front Access	Fits 26" / 28"W ¹ frames only	\$695
Z4SSKASHD	Seat Support Kit for Raz-AP600 – for seats that are narrower than seat frames ¹ Required for seats that are narrower than seat frames		\$195

Custom Seats

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. See [Custom Seat Assessment Form – Resources tab at razdesigninc.com](#)

Z4CSHD	Heavy Duty Custom Seat (enter specs below) Select if both width and depth are ≤ 28"	\$1,095
Z4CSXHD	Heavy Duty Custom Seat for widths 28" and 30" (enter specs below) Select if width and/or depth is ≥ 28"	\$1,295

Seat Frame Width: ___ 22" / 24" / 26" / 28" / 30"
 Custom Seat Width: ___ 22" / 24" / 26" / 28" / 30" / 32" (cannot be more than 2" wider than frame width)
 Seat Depth: ___ 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires custom longer frame]
 Access: ___ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged
 Aperture Width: ___ 6.5" recommended

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom seat widths can be up to 2" wider than the frame width to provide additional thigh support without increasing overall width of the chair.
- For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.
- Access for Rear-Open seats is limited due to rear seat support tube.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accommodation, etc.

3. Back Support Options – Symphony Back replaces standard Tension-Adjustable Vinyl Upholstery – recommended for infection-control environments. All Symphony Back panels are 13”H.

Z5S22	Symphony Back – Recessed Solid Back Support – 22”W	\$595
Z5S24	Symphony Back – Recessed Solid Back Support– 24”W	\$695
Z5S26	Symphony Back – Recessed Solid Back Support – 26”W	\$795
Z5S28	Symphony Back – Recessed Solid Back Support– 28”W	\$895
Z5S30	Symphony Back – Recessed Solid Back Support – 30”W	\$995

4. Arm Support Accessories

Z710HD	Arm Support Lock Kit – HD (pr)	\$95	Z7PAML	Pivoting Arm Mount – Left (for Z7FL / Z7TR)	\$165
Z7FLL	Molded Flat Armpad ¹ , Long – Left (14”L x 3.25”W)	\$95	Z7PAMR	Pivoting Arm Mount – Right (for Z7FL / Z7TR)	\$165
Z7FLR	Molded Flat Armpad ¹ , Long – Right (14”L x 3.25”W)	\$95	Z7APS_ _ *	* Enter back frame width to complete code (22” / 24” / 26” / 28” / 30”)	\$225
Z7TRL	Molded Arm Trough ¹ – Left (18.5”L x 4.5”W)	\$110			
Z7TRR	Molded Arm Trough ¹ – Right (18.5”L x 4.5”W)	\$110			
¹ May require Z7PAM for arm support to flip up					

5. Foot and Leg Supports – Standard Foot Supports (Z709N) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (Z7ELRL), the chair will be supplied with one Foot Support (Z709N) on the right side and a Z7ELRL on the left side.

Z709N	Adjustable Foot Supports HD (16”-20.5”) – pr	Std	Z7ELRL	Elevating Legrest ¹ – Left (incl Z7ADM)	\$475
Z7FET2	Footrest Extensions (pr) – 2” longer	\$50	Z7ELRR	Elevating Legrest ¹ – Right (incl Z7ADM)	\$475
Z7ADM	Adjustable Angle/Depth Footplates – pr	\$190	Z7ELROFL	Forward Offset Elevating Legrest ² – Left (incl Z7ADM)	\$525
Z7FET2A	Footrest Extension Tubes for Z7ADM (pr) – 2” longer	\$50	Z7ELROFR	Forward Offset Elevating Legrest ² – Right (incl Z7ADM)	\$525
Z7RLSL	Universal Residual Limb Support – Left	\$395	¹ Z7ELRL/R compatible with adjusted seat depths ≤ 20”D		
Z7RLSR	Universal Residual Limb Support – Right	\$395	² Z7ELROFL/R compatible with adjusted seat depths 20”-22”D		

6. Foot and Leg Support Accessories

Z7FSLK	Foot Support Lock (pr)	\$95	Z708ADJ	Adjustable Heel Loops (pr)	\$60
Z7CS_ _	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (22”/24”W)	\$95	Z7NCS	Neoprene Covers for Standard Footplates (pr)	\$90
Z7CS_ _ *	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (26”/28”/ 30”W)	\$195	Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$90
Z7CSIC_ _ *	Calf Strap, Snap-On – Infection Control *Enter seat frame width to complete code (22” / 24” / 26” / 28” / 30”)	\$140	Z7OFLM	Lateral Offset Foot Support Receiver – moves foot support 2” laterally or medially (ea) Quantity (1 or 2) _ _	\$160
Z712	H-Strap – for 22”/24”W frames – hook and loop attachment	\$110			

7. Positioning Pads

Z7HSASS	Headrest Pad – Small (10" x 4")	\$495	Z7LGAS2L	Leg Adductor – w/ Large Pad ¹ – Left	\$320
Z7HSASL	Headrest Pad – Large (12" x 6")	\$545	Z7LGAS2R	Leg Adductor – w/ Large Pad ¹ – Right	\$320
Z7LTS2HDL	Lateral Thoracic Support w/ Large Pad ^{1,2} – Left	\$320	Z742L	Lateral/Adductor Extension Plate (5.5" x 3.5") – Left	\$25
Z7LTS2HDR	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$320	Z742R	Lateral/Adductor Extension Plate (5.5" x 3.5") – Right	\$25

¹ Large Adjustable Pad Size: ~ 6.75" x 4.3".

² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify Z742 extension plate.

8. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts			Chest Belts		
ZPBLHDAS	Pelvic Belt – Large (frame widths 22", 2-piece w/ side-release buckle)	\$65	ZCBL	Chest Belt ² – Large (back widths 22", 1-piece w/ hook and loop closure)	\$45
ZPBXLHDAS	Pelvic Belt – XLarge (seat frame widths 22"-26", 2-piece w/ side-release buckle)	\$75	ZCBXL	Chest Belt – XLarge ² (back frame widths 22"-26", 1-piece w/ hook and loop closure)	\$55
ZPBXXLHDAS	Pelvic Belt – XXL Large (seat frame widths 26"-30", 2-piece w/ side-release buckle)	\$85	ZCBXXL	Chest Belt – XXL Large ² (back frame widths 26"-30", 1-piece w/ hook and loop closure)	\$65
ZPBICLHDAS	Pelvic Belt ¹ – Infection Control, Large 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 22")	\$115	ZCBICL	Chest Belt ^{1,2} – Infection Control, Large 1-piece w/ side-release buckle (back widths 22")	\$85
ZPBICXLHDAS	Pelvic Belt ¹ – Infection Control, XLarge 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 22"-26")	\$125	ZCBICXL	Chest Belt ^{1,2} – Infection Control, XLarge 1-piece w/ side-release buckle (back frame widths 22"-26")	\$95
ZPBICXXLHDAS	Pelvic Belt ¹ – Infection Control, XXL Large 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 26"-30")	\$135	ZCBICXXL	Chest Belt ^{1,2} – Infection Control, XXL Large 1-piece w/ side-release buckle (back frame widths 26"-30")	\$105
ZPBBPLHDAS	Pelvic Belt – Bodypoint Aeromesh, Large	\$195	ZCBBP_	* Chest Belt – Bodypoint Aeromesh * enter size to complete code (L / XL)	\$205
ZPBBPXLHDAS	Pelvic Belt – Bodypoint Aeromesh, XLarge	\$165			
Recommended sizes for Bodypoint belts	Chest belt	ZCBBPXL	22"/24"W back frame	ZCBBPXXL	24"-30"W back frame
	Pelvic belt	ZPBBPXLHDAS	22"/24W base frame	ZPBBPXXLHDAS	24"-30"W base frame

¹ Non-absorbent belts – recommended for infection-control environments.

² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCB). When the chair is supplied with a Symphony Back, Chest Belt loops are provided.

9. Other

Z66AS5	Anti-Tippers for 5" casters (pr) Rear Front	\$245	ZIHW	Whizard – winged urine deflector ²	\$67
Z66AS6	Anti-Tippers for 6" casters (pr) Rear Front	\$245	ZBUDBH_*	Bard Urine Drainage Bag Holder * Enter size to complete code (22"/24"/26"/28"/30")	\$155
Z66AP	6" Caster Upgrade (4x) – required for user weight > 450 lbs	\$350			
ZDCLAHD	Directional Caster Lock – fits on left rear caster (facilitates steering)	\$145			
ZPSK1	Commode Pan Spacer Kit ¹ – 1" lower	\$200			
ZPSK2	Commode Pan Spacer Kit ¹ – 2" lower	\$215			
ZPSK3	Commode Pan Spacer Kit ¹ – 3" lower	\$230			
ZPSK4	Commode Pan Spacer Kit ¹ – 4" lower	\$245			

¹ Commode Pan Spacer Kits provide extra clearance for perianal care with pan in place. Reduces toilet bowl clearance height.

² Has patent-pending lateral wings that are positioned under the medial aspect of the legs to keep the Whizard in place.

10. Credits and Omissions

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z907HD	Omit HD Foot Supports – if no other Foot / Leg Support Option is selected	-\$45
------	---	-------	--------	--	-------

Some assembly of Raz products is required.

11. Notes:

Specifications

Raz-AP600 (Attendant Propel)

Weight Capacity	600 lbs	
Overall Width	Seat frame width plus 4.5" (with standard arm pad)	
Overall Length (with foot supports)	40.5" (with rear casters trailing), 37.25" (to rear of back canes)	
Seat Depth	18"-20"	
Toilet Clearance Width	seat frame width minus 6"	
Toilet Clearance Height (under seat)	with 5" casters	with 6" casters
- with pan brackets	14.3"-18.3"	15.3"-19.3"
- without pan brackets	15.1"-19.1"	16.1"-20.1"
Arm Support Height - above molded seat	10"	
Seat-to-Floor Height (with molded seat)	19"-23" (with 5" casters)	
Back Height (Molded Seat to top of upholstery)	20"	
Product Weight (with 22"W seat frame)	54.5 lbs	
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)	