



Raz-AT600

MSRP – USA – USD
Effective July 1, 2020

Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Raz-AT600 Heavy Duty Mobile Shower Commode Chair with stainless steel frame and components, 25° tilt range, four dual-locking 6" (150mm) casters, flip-up arm supports, heavy duty foot supports, commode pan, head support with small pad and the proprietary Weight Assist Spring System (WASS). Also included is a 20"H Multi-Position Back with 2" fore/aft adjustment range, two back angles (90°/97°) and tension-adjustable vinyl upholstery. Exclusive to Raz, all seats include the Ischial Pelvic Alignment System [IPAS], which allows for 2" fore/aft adjustment. **User weight capacity 600 lbs.**

Please enter set-up requests in Notes [Sec.12]. For custom modifications of frames and accessories, contact Raz Customer Service. To assist in evaluation and justification see our [Evaluation and Justification Form](#).

1. Chair Codes by size – Must Choose One

Z36022	22"W Seat and Back Frames	\$5,695
Z36024	24"W Seat and Back Frames	\$5,995
Z36026	26"W Seat and Back Frames	\$6,495
Z36028	28"W Seat and Back Frames	\$6,995
Z36030	30"W Seat and Back Frames – Requires custom seat	\$7,495

2. User Weight Range

Z36WR450	WASS User Weight Range 350-450 lbs.	Std	Z36WR600	WASS User Weight Range 400-600 lbs.	\$250
----------	-------------------------------------	-----	----------	-------------------------------------	-------

3. Seats – Must Choose One

Molded and Visco Foam Interface Seats – Seat Support Kit (Z4SSKAT) required if seat is narrower than seat frame.

Z4M23	Molded 23"W x 18"D – Front Access	Fits 22"/24"W ¹ frames only	N/C
Z4M26	Molded 26"W x 18"D – Front Access	Fits 26"/28"W ¹ frames only	N/C
Z4V23	Visco Foam Interface 23"W x 18"D – Front Access	Fits 22"/24"W ¹ frames only	\$595
Z4V26	Visco Foam Interface 26"W x 18"D – Front Access	Fits 26"/28"W ¹ frames only	\$695
Z4SSKT	Seat Support Kit for Raz-AT600 – for seats that are narrower than seat frames		\$145

¹ Required for seats that are narrower than seat frames

Custom Seats

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

Z4CSHD	Heavy Duty Custom Seat (enter specs below) Select if both width and depth are ≤ 28"	\$1,095
Z4CSXHD	Heavy Duty Custom Seat for widths 28" / 30" (enter specs below) Select if width and/or depth is ≥ 28"	\$1,295

Seat Frame Width: ___ 22" / 24" / 26" / 28" / 30"
 Custom Seat Width: ___ 22" / 24" / 26" / 28" / 30" / 32" (cannot be more than 2" wider than seat frame width)
 Seat Depth: ___ 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires custom longer frame]
 Access: ___ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged
 Aperture Width: ___ 6.5" recommended

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom seat widths can be up to 2" wider than seat the frame width to provide additional thigh support without increasing overall width of the chair.
- The Ischial Pelvic Alignment System (IPAS) will allow 2" fore/aft adjustment of the seat position (and therefore seat depth and aperture position) on all seats.
- Access for Rear-Open seats is limited due to rear seat support tube.

4. Back Support Options – **Symphony Back** is a recessed, solid back that replaces the standard Tension-Adjustable Vinyl Upholstery (recommended for infection-control environments). All Symphony Back panels are 13”H.

Z5S22	Symphony Back – 22”W	\$595
Z5S24	Symphony Back – 24”W	\$695
Z5S26	Symphony Back – 26”W	\$795
Z5S28	Symphony Back – 28”W	\$895
Z5S30	Symphony Back – 30”W	\$995

5. Arm Support Accessories

Z710HD	Arm Support Lock Kit – HD (pr)	\$95	Z7PAML	Pivoting Arm Mount – Left (for Z7FL / Z7TR)	\$165
Z7FLL	Long Molded Flat Armpad ¹ – Left (14”L x 3.25”W)	\$95	Z7PAMR	Pivoting Arm Mount – Right (for Z7FL / Z7TR)	\$165
Z7FLR	Long Molded Flat Armpad ¹ – Right (14”L x 3.25”W)	\$95			
Z7TRL	Molded Arm Trough ¹ – Left (18.5”L x 4.5”W)	\$110			
Z7TRR	Molded Arm Trough ¹ – Right (18.5”L x 4.5”W)	\$110			
¹ May require Z7PAM for arm support to flip up					

6. Foot and Leg Supports – Standard Foot Supports (Z709N) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (Z7ELRL), the chair will be supplied with one Foot Support (Z709N) on the right side and a Z7ELRL on the left side.

Z709N	Adjustable Footrests HD (16”-20.5”) – pr	Std	Z7ELRL	Elevating Legrest ¹ – Left (incl Z7ADM)	\$475
Z7FET2	Footrest Extensions (2” longer) – pr	\$50	Z7ELRR	Elevating Legrest ¹ – Right (incl Z7ADM)	\$475
Z7ADM	Angle/Depth Adj Footplates – pr	\$190	Z7ELROFL	Forward Offset Elevating Legrest ² – Left (incl Z7ADM)	\$525
Z7FET2A	Footrest Extension Tubes for Z7ADM (pr) – 2” longer	\$50	Z7ELROFR	Forward Offset Elevating Legrest ² – Right (incl Z7ADM)	\$525
Z7RLSL	Universal Residual Limb Support – Left	\$395	¹ Z7ELRL/R compatible with adjusted seat depths ≤ 20”D		
Z7RLSR	Universal Residual Limb Support – Right	\$395	² Z7ELROFL/R compatible with adjusted seat depths 20”-22”D		

7. Foot and Leg Support Accessories

Z7FSLK	Foot Support Lock (pr) \$95		Z708ADJ	Adjustable Heel Loops (pr)	\$60
Z7CS_ _	Snap-On Calf Strap – Bodypoint Aeromesh * Enter seat frame width to complete code (22”/24”W)	\$95	Z7NCS	Neoprene Covers for Standard Footplates (pr)	\$90
Z7CS_ _*	Snap-On Calf Strap – Bodypoint Aeromesh * Enter seat frame width to complete code (26”/28”/ 30”W)	\$195	Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$90
Z7CSIC_ _*	Snap-On Infection Control Calf Strap *Enter seat frame width to complete c code (22” / 24” / 26” / 28” / 30”)	\$140	Z7OFLM	Lateral Offset Foot Support Receiver – moves foot support 2” laterally or medially Quantity (1 or 2) _ _	\$160
Z712	H-Strap – for 22”/24”W frames – hook and loop attachment	\$110			

8. Positioning Pads

Z7HSTL	Headrest Pad – Large (12" x 6")	\$50	Z7LGT2L	Leg Adductor – w/ Large Pad ¹ – Left	\$320
Z7OHIP	Lateral Offset Head Support Interface Plate – up to 22° of adjustment	\$95	Z7LGT2R	Leg Adductor – w/ Large Pad ¹ – Right	\$320
Z7LTS2HDL	Lateral Thoracic Support w/ Large Pad ^{1,2} – Left	\$320	Z742L	Lateral/Adductor Extension Plate (5.5" x 3.5") – Left	\$25
Z7LTS2HDR	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$320	Z742R	Lateral/Adductor Extension Plate (5.5" x 3.5") – Right	\$25
			Z7MTST2	Medial Thigh Support – Large	\$445
¹ Large Adjustable Pad Size: ~ 6.75" x 4.3". ² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify Z742 extension plate.					

9. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts			Chest Belts		
ZPBLHDT	Pelvic Belt – Large (seat frame widths 18"-22", 2-piece w/ side-release buckle)	\$65	ZCBL	Chest Belt – Large ² (back frame width 18"-22", 1-piece w/ hook and loop closure)	\$45
ZPBXLHDT	Pelvic Belt – XLarge (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$75	ZCBXL	Chest Belt – XLarge ² (back frame widths 22"-30", 1-piece w/ hook and loop closure)	\$55
ZPBICLHDT	Infection Control Pelvic Belt – Large ¹ (seat frame widths 18"-22", 2-piece w/ side-release buckle)	\$115	ZCBICL	Infection Control Chest Belt – Large ^{1,2} (back frame width 18"-22", 1-piece w/ side-release buckle)	\$85
ZPBICXLHDT	Infection Control Pelvic Belt – XLarge ¹ (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$125	ZCBICXL	Infection Control Chest Belt – XLarge ^{1,2} (back frame widths 22"-30", 1-piece w/ side-release buckle)	\$95
ZPBBPLHDT	Pelvic Belt – Bodypoint Aeromesh – Large	\$205	ZCBBP_*	Chest Belt – Bodypoint Aeromesh * enter size to complete code (L / XL)	\$205
ZPBBPXLHDT	Pelvic Belt – Bodypoint Aeromesh – XLarge	\$165			

Recommended sizes for Bodypoint belts	Chest belt	ZCBBPL	18"-22"W back frame	ZCBBPXL	22"-30"W back frame
	Pelvic belt	ZPBBPLHDT	18"-22"W base frame	ZPBBPXLHDT	22"-30"W base frame

¹ Non-absorbent belts – recommended for infection-control environments.

² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCB). When the chair is supplied with a Symphony Back, Chest Belt loops are provided.

10. Other

Z675	Directional Caster Lock – fits on left rear caster (facilitates steering)	\$145	ZIHW	Whizard – winged urine deflector ²	\$67
Z66T6	Rear Anti-Tippers for 6" casters (pr)	\$345	ZBUDBH__*	Bard Urine Drainage Bag Holder * Enter size to complete code (22" / 24" / 26" / 28" / 30")	\$155
ZPSK1	Commode Pan Spacer Kit ¹ – 1" lower	\$200			
ZPSK2	Commode Pan Spacer Kit ¹ – 2" lower	\$215	ZSPKT624	AT600 Self-Propel Kit – 24" wheels – includes rear anti-tippers	\$1595
ZPSK3	Commode Pan Spacer Kit ¹ – 3" lower	\$230			
ZPSK4	Commode Pan Spacer Kit ¹ – 4" lower	\$245			
ZTLS	Tilt Limit Spacers – 1/2" spacers snap onto gas struts to limit tilt (1/2" reduces tilt range approx. 5°. Can be stacked for additional tilt limiting. Quantity ____	N/C			
¹ Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height.			² The patent-pending Whizard features lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.		

11. Credits and Omissions

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z911	Omit Molded Head Support Pad	-\$20
Z907HD	Omit HD Foot Supports – if no other Foot / Leg Support Option is selected	-\$45	Z912	Omit Complete Head Support Assembly	-\$50

Some assembly of Raz products is required.

12. Notes:**Specifications****Raz-AT600 (Attendant Tilt)**

Weight Capacity	600 lbs
Seat Depth (with Standard Molded Seat)	18"-20"
Overall Width	Seat frame width plus 4.5" (with standard arm pad)
Toilet Clearance Width	17"
Overall Length (with foot supports and headrest adjusted to middle positions)	
- at 0° tilt and standard foot supports	42"
- at 25°	52"
Clearance Height (under seat)	with 6" casters
- with pan brackets	17.75"-18.75"
- without pan brackets	18.5"-19.5"
Arm Support Height - above molded seat	9.25"
Seat-to-Floor Height (with molded seat)	22.25"
Back Height (Molded Seat to top of upholstery)	20"
Product Weight (with 22"W seat frame)	84 lbs
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)