



# Raz-CAT

MSRP – USA – USD  
Effective July 1, 2020

Date: \_\_\_\_\_

Dealer / Location: \_\_\_\_\_ T: \_\_\_\_\_ F: \_\_\_\_\_

PO# / Client: \_\_\_\_\_ Contact: \_\_\_\_\_ Email: \_\_\_\_\_

**Raz-CAT** (Compact Attendant Tilt) Mobile Shower Commode Chair with 40° tilt range, height adjustable stainless steel frame, adjustable seat depth, adjustable back angle, four dual-locking 5" casters, stainless steel head support fixture, molded small head support pad, flip-up padded arm supports, commode pan and foot supports. **User weight capacity 300 lbs.**

See our [Evaluation and Justification Form](#).


## 1. Chair Codes by Size – Must Choose One

Z30318	Raz-CAT w/ 18"W seat and base frame – standard size, fits over most toilets	\$3,295
Z303_*	Non-Standard Width Raz-CAT – Must add upcharge for custom width: see below * add custom width to complete code (16/20)	\$3,295
Z3SW16	Upcharge for custom 16"W seat and base frame <sup>1</sup>	\$595
Z3SW20	Upcharge for custom 20"W seat and base frame <sup>2</sup>	\$595

<sup>1</sup> Requires custom seat  
<sup>2</sup> Custom seat recommended – standard CAT Seat (Z4C816) can be used with optional Z4SSKT [Sec.2]

## 2. Seats – Standard

Standard CAT Seat – Visco-Foam w/ Tapered Oblong Aperture (thickness ~2.5")						
Z4C1816	18"W x 11"-16"D (adjustable)				Standard w/ 18"W frame	
Z4C1616	16"W x 11"-16"D (adjustable)				Standard w/ 16"W frame	
Z4C2016	20"W x 11"-16"D (adjustable)				Standard w/ 20"W frame	
Set seat depth at:	11"	12"	13"	14"	15"	16"
Standard aperture width:	3.5" at front, 4.5" at rear					

Other Seats Available – for seat depths of 16" and 17" only – Modified to fit CAT seat frame					
Molded Seats (thickness ~2.5"-3")			Visco Foam Interface Seats (thickness ~3.5")		
Z405C	18"W x 16"D – Front Access	N/C	Z436BRIC	18"W x 16"D – Front Bridged	\$425
Z410C	18"W x 16"D – Front Bridged	N/C	Z436FROC	18"W x 16"D – Front Access	\$425
			Z436LTOC	18"W x 16"D – Left Access	\$425
			Z436RTOC	18"W x 16"D – Right Access	\$425
			Z436RROC	18"W x 16"D – Rear Access	\$425

Z4SSKT	Seat Support Kit for Raz-CAT (to support seats that are narrower than seat frames)	\$145
ZSCS	Splash Curtain for Bridged Front Molded and VFI Seats – helps direct urine into pan or toilet. Note: raises seat 1/2"	\$295
ZSCC	Splash Curtain for Bridged Front Custom Seats – helps direct urine into pan or toilet. Note: raises seat 1/2"	\$345

### 3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. 18" is the standard width for CAT seat frames.

Z4CSC	Custom Seat (enter specs below)	\$795
Seat Frame Width:	__ 16" / 18" / 20"	
Custom Seat Width:	__ 16" / 17" / 18" / 19" / 20"	
Custom Seat Depth:	__ 11" / 12" / 13" / 14" / 15" / 16" / 17"	
Access Opening:	__ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged	
Aperture:	Tapered Oblong: __"W (at front) __"W (at rear) [standard is 3.5"W at front and 4.5"W at rear]	
	Keyhole: __"W 3.0"-8.0"W – enter "NA" if aperture is not required	
<ul style="list-style-type: none"> <li>● Oblong-shaped apertures can be specified in conjunction with any of the access openings listed.</li> <li>● The Ischial Pelvic Alignment System (IPAS) allows 2" fore/aft adjustment of the seat (seat depth and aperture position) on all seats.</li> <li>● Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas and contouring, etc.</li> </ul>		

### 4. Back Frames – for standard 18"W seat frames

(nominal back heights measured from top of molded seat to top of back upholstery)

**Multi-Position Adjusta-Back:** The "Multi-Position" feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11"-16". Includes tension-adjustable vinyl back upholstery, flip-up padded arm supports, back angle adjustment (90°/97°) and cane-style back posts. Back upholstery can be positioned 2.5" higher than factory settings stated below.

#### Back frames for standard 18"W seat frame (Z30318)

Z5845	14" Back Width / 15" Back Height	N/C	Z5848R	Recliner Back for CAT – 14"W x 18"H <sup>2,3</sup>	\$995
Z5848	14" Back Width / 18" Back Height	\$95	Z5868R	Recliner Back for CAT – 16"W x 18"H <sup>2,3</sup>	\$995
Z5865	16" Back Width / 15" Back Height	N/C	Z5888R	Recliner Back for CAT – 18"W x 18"H <sup>2,3</sup>	\$995
Z5868	16" Back Width / 18" Back Height	\$95			
Z5885	18" Back Width / 15" Back Height	N/C			
Z5888	18" Back Width / 18" Back Height	\$95			
Z5DTLC	Dual Tilt Triggers – left side <sup>1</sup>	N/C			
Z5DTRC	Dual Tilt Triggers – right side <sup>1</sup>	N/C			

<sup>1</sup> Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for single-handed operation (tilt only).  
<sup>2</sup> Standard trigger locations for Raz-CAT with recline are tilt triggers on the right and recline triggers on the left.  
<sup>3</sup> Tilt is limited to 25°

### 5. Back Frames for 16"W and 20"W Seat Frames

(back heights measured from top of molded seat to top of back upholstery)

**Multi-Position Adjusta-Back:** The "Multi-Position" feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11"-16". Includes tension-adjustable vinyl back upholstery, back angle adjustment (90°/97°) and flip-up padded arm supports. Back upholstery can be positioned 2.5" higher than factory settings stated below.

16"W Seat Frames			20"W Seat Frames		
Z5645	14" Back Width / 15" Back Height	N/C	Z5065	16" Back Width / 15" Back Height	N/C
Z5648	14" Back Width / 18" Back Height	\$95	Z5068	16" Back Width / 18" Back Height	\$95
Z5665	16" Back Width / 15" Back Height	N/C	Z5085	18" Back Width / 15" Back Height	N/C
Z5668	16" Back Width / 18" Back Height	\$95	Z5088	18" Back Width / 18" Back Height	\$95
Z5648R	Recliner Back for CAT – 14"W x 18"H <sup>2,3</sup>	\$995	Z5005	20" Back Width / 15" Back Height	N/C
Z5668R	Recliner Back for CAT – 16"W x 18"H <sup>2,3</sup>	\$995	Z5008	20" Back Width / 18" Back Height	\$95
			Z5088R	Recliner Back for CAT – 18"W x 18"H <sup>2,3</sup>	\$995
			Z5008R	Recliner Back for CAT – 20"W x 18"H <sup>2,3</sup>	\$995
Z5DTLC	Dual Tilt Triggers – left side <sup>1</sup>	N/C			
Z5DTRC	Dual Tilt Triggers – right side <sup>1</sup>	N/C			

<sup>1</sup> Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for single-handed operation (tilt only).  
<sup>2</sup> Standard trigger locations for Raz-CAT with recline are tilt triggers on the right and recline triggers on left.  
<sup>3</sup> Tilt is limited to 25°

**6. Back Support Options – These back supports replace the tension-adjustable upholstery  
(Not compatible with 15”H back frames – all Symphony Back panels are 13”H)**

Z5S14	Symphony Back – recessed solid back – 14” back frame width	\$395
Z5S16	Symphony Back – recessed solid back – 16” back frame width	\$395
Z5S18	Symphony Back – recessed solid back – 18” back frame width	\$395
Z5S20	Symphony Back – recessed solid back – 20” back frame width	\$495

**7. Arm Supports and Accessories**

Z5BAR10	Flip-Up Arm Supports – 10” pad (pr) – not compatible with Z7FL / Z7TR / Z7PAM	Std	Z7TRL	Molded Arm Trough <sup>1</sup> – Left (18.5”L x 4.5”W – for Z5BAR13)	\$110
Z5BAR13	Flip-Up Arm Supports – 13” pad (pr)	N/C	Z7TRR	Molded Arm Trough <sup>1</sup> – Right (18.5”L x 4.5”W – for Z5BAR13)	\$110
Z710	Arm Support Lock Kit (pr)	\$75	Z7PAML	Pivoting Arm Mount – Left (for Z7FL/Z7TR with Z5BAR13)	\$165
Z718	Arm Spacer Kit – ½” per side (pr)	\$60	Z7PAMR	Pivoting Arm Mount – Right (for Z7FL/Z7TR with Z5BAR13)	\$165
Z719	Arm Spacer Kit – 1” per side (pr)	\$115	Z7PHG	Pivoting Hand Grips (pr)	\$395
Z7FSL	Short Molded Flat Armpad – Left (10”L x 3”W – for Z5BAR10)	\$95	Z7APS_*	Anterior Posture Support Bar <sup>2</sup> * Enter back frame width to complete code (14”/16”/18”)	\$195
Z7FSR	Short Molded Flat Armpad – Right (10”L x 3”W – for Z5BAR10)	\$95	Z7APS20	Anterior Posture Support Bar <sup>2</sup> – 20”W	\$225
Z7FLL	Long Molded Flat Armpad <sup>2</sup> – Left (14”L x 3.25”W – for Z5BAR13)	\$95			
Z7FLR	Long Molded Flat Armpad <sup>2</sup> – Right (14”L x 3.25”W – for Z5BAR13)	\$95			

<sup>1</sup> May require Z7PAM for Arm Support to flip up and/or for lateral supports to swing away  
<sup>2</sup> Not available with Z7FL / Z7FS / Z7TR  
<sup>3</sup> Special length required with Z718 (+1”) and Z719 (+2”).

**8. Foot and Leg Supports**

Z7MFX8C	MFX8 Foot Supports 8”-12” (pr)	N/C	Z7VS_*	V-Style Foot Support (1-piece) * Enter frame width to complete code (16” / 20”)	\$295
Z7MFX12C	MFX12 Foot Supports 12”-16.5” (pr)	Std	Z7FBT	Flip-Back Foot Support (1-piece) with calf pads – 16”-20.5”	\$395
Z705N	Foot Supports 16”-20.5” (pr)	N/C	Z7ELRL	Elevating Leg Support – Left (includes Z7ADM)	\$475
Z705N16	Foot Supports for 16”W frames 16”-20.5” (pr)	N/C	Z7ELRR	Elevating Leg Support – Right (includes Z7ADM)	\$475
Z7ADM	Angle/Depth Adj Molded Footplates (pr)	\$190	Z7RLSL	Universal Residual Limb Support – Left	\$395
Z7ADABS	Angle/Depth Adj ABS Footplates (pr) For 16”W frames	\$190	Z7RLSR	Universal Residual Limb Support – Right	\$395
Z7VS18	V-Style Foot Support (1-piece) – for 18”W base frames	\$195			

### 9. Foot and Leg Support Accessories

Z7FSLK	Foot Support Lock (pr)	\$95	Z7NCS	Neoprene Covers for Standard Footplates (pr)	\$90
Z7CS_*	Snap-On Calf Strap – Bodypoint Aeromesh* Enter frame width to complete code (16"/18"/20"/22")	\$95	Z7NC16	Neoprene Covers for narrow molded footplates (pr)	\$90
Z7CSIC_*	Snap-On Infection Control Calf Strap * Enter seat frame width to complete code (16"/18"/20")	\$125	Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$90
Z737CPL	Calf Panel – Bodypoint Aeromesh <sup>1</sup> Fits frame widths (16"/18"/20")	\$175	Z7NCABS	Neoprene Covers for ABS Adj Angle/Depth Footplates Z7ADABS (pr)	\$90
Z706	H-Strap – for 18"/20"W frames – hook and loop attachment	\$90	Z7OFLM	Lateral Offset Foot Support Receiver – moves foot support 2" laterally or medially Quantity (1 or 2) __	\$160
Z712	H-Strap – for 22"W frames – hook and loop attachment	\$110			
Z708ADJ	Adjustable Heel Loops (pr) – not available for Z7VS / Z7FBAS	\$60			

<sup>1</sup> Not compatible with Z7MFX8 / Z7FBAS / Z7VS

### 10. Positioning Pads – Hip Adductors are not compatible with Reclining Backrest unless ordered on-chair.

Z7HSTS	Head Support Pad – Small (10" x 4")	Std	<b>Hip Adductors for 4" narrower backs</b>		
Z7HSTL	Head Support Pad – Large (12" x 6")	\$50	Z7HP4C1L	Hip Adductor for 4" narrower back w/ Small Pad <sup>1</sup> – Left	\$320
Z7OHIP	Lateral Offset Head Support Interface Plate – provides up to 22° of adjustment	\$95	Z7HP4C1R	Hip Adductor for 4" narrower back w/ Small Pad <sup>1</sup> – Right	\$320
Z7LTS1L	Lateral Thoracic Support w/ Small Pad <sup>1,2</sup> – Left	\$320	Z7HP4C2L	Hip Adductor for 4" narrower back Large Pad <sup>1</sup> – Left	\$320
Z7LTS1R	Lateral Thoracic Support w/ Small Pad <sup>1,2</sup> – Right	\$320	Z7HP4C2R	Hip Adductor for 4" narrower back w/ Large Pad <sup>1</sup> – Right	\$320
Z7LTS2L	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Left	\$320	<b>Hip Adductors for 0-2" narrower backs</b>		
Z7LTS2R	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Right	\$320	Z7HP02C1L	Hip Adductor for 0-2" narrower back w/ Small Pad <sup>1</sup> – Left	\$320
Z742L	Lateral/Adductor Extension Plate (5.5" x 3.5") – Left	\$25	Z7HP02C1R	Hip Adductor for 0-2" narrower back w/ Small Pad <sup>1</sup> – Right	\$320
Z742R	Lateral/Adductor Extension Plate (5.5" x 3.5") – Right	\$25	Z7HP02C2L	Hip Adductor for 0-2" narrower back w/ Large Pad <sup>1</sup> – Left	\$320
Z7LGT1L	Leg Adductor w/ Small Pad <sup>1</sup> – Left	\$320	Z7HP02C2R	Hip Adductor for 0-2" narrower back w/ Large Pad <sup>1</sup> – Right	\$320
Z7LGT1R	Leg Adductor w/ Small Pad <sup>1</sup> – Right	\$320			
Z7LGT2L	Leg Adductor w/ Large Pad <sup>1</sup> – Left	\$320			
Z7LGT2R	Leg Adductor w/ Large Pad <sup>1</sup> – Right	\$320			
Z7MTST1	Medial Thigh Support – Small	\$445			
Z7MTST2	Medial Thigh Support – Large	\$445			

<sup>1</sup> Adjustable Pad Sizes: Small – 5.5" x 3.5" / Large – 6.75" x 4.3".

<sup>2</sup> Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify Z742 extension plate.

## 11. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts			Chest Belts				
ZPBS	Pelvic Belt – Small (frame widths 14"-16", 2-piece w/ side-release buckle)	\$35	ZCBS	Chest Belt <sup>2</sup> – Small (back widths 14"-16" 1-piece w/ hook and loop closure)	\$35		
ZPBM	Pelvic Belt – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$35	ZCBM	Chest Belt <sup>2</sup> – Medium (back widths 16"-18", 1-piece w/ hook and loop closure)	\$35		
ZPBL	Pelvic Belt – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$45	ZCBL	Chest Belt <sup>2</sup> – Large (back widths 18"-22", 1-piece w/ hook and loop closure)	\$45		
ZPBICS	Infection Control Pelvic Belt <sup>1</sup> – Small (frame widths 14"-16", 2-piece w/ side-release buckle)	\$75	ZCBICS	Infection Control Chest Belt <sup>1,2</sup> – Small (back widths 14"-16", 1-piece w/ side-release buckle)	\$75		
ZPBICM	Infection Control Pelvic Belt <sup>1</sup> – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$85	ZCBICM	Infection Control Chest Belt <sup>1,2</sup> – Medium (back widths 16"-18", 1-piece w/ side-release buckle)	\$75		
ZPBICL	Infection Control Pelvic Belt <sup>1</sup> – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$95	ZCBICL	Infection Control Chest Belt <sup>1,2</sup> – Large (back widths 18"-22", 1-piece w/ side-release buckle)	\$85		
ZPBBPS	Pelvic Belt – Bodypoint Aeromesh – Small	\$245	ZCBBPS	Chest Belt – Bodypoint Aeromesh – Small	\$255		
ZPBBP _ *	Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$195	ZCBBP _ *	Chest Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$205		
<b>Recommended sizes for Bodypoint belts</b>	Chest belt	ZCBBPS	14"-16"W back frame	ZCBBPM	16" - 18"W back frame	ZCBBPL	18"-22"W back frame
	Pelvic belt	ZPBBPS	14" - 16"W seat frame	ZPBBPM	16" - 18"W seat frame	ZPBBPL	18"-22"W seat frame
<sup>1</sup> Non-absorbent belts – recommended for infection-control environments							
<sup>2</sup> Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.							

## 12. Other

Z675	Directional Caster Lock – fits on one rear caster (facilitates steering)	\$145	ZIHW	Whizard – winged urine deflector <sup>3</sup>	\$67
Z64T	4" Caster Upgrade (4x)	\$280	ZBUDBH _ _ *	Bard Urine Drainage Bag Holder * Enter seat frame width to complete code (16" / 18" / 20")	\$155
Z66T4	Rear Anti-Tippers for 4" casters <sup>1</sup> (pr)	\$345	ZSPKC22	CAT Self-Propel Kit – 22" wheels (includes anti-tippers)	\$1395
Z66T5	Rear Anti-Tippers for 5" casters <sup>1</sup> (pr)	\$345	ZSPKC24	CAT Self-Propel Kit – 24" wheels (includes anti-tippers)	\$1395
ZPSK1	Commode Pan Spacer Kit <sup>2</sup> – 1" lower	\$200			
ZPSK2	Commode Pan Spacer Kit <sup>2</sup> – 2" lower	\$215			
ZPSK3	Commode Pan Spacer Kit <sup>2</sup> – 3" lower	\$230			
ZPSK4	Commode Pan Spacer Kit <sup>2</sup> – 4" lower	\$245			
ZTLS	Tilt Limit Spacers – 1/2" spacers snap onto gas struts to limit tilt (1/2" reduces tilt range approx. 5°. Can be stacked for additional tilt limiting. Quantity ___	N/C			
<sup>1</sup> Anti-Tippers will be mounted on the rear unless otherwise specified.			<sup>3</sup> Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.		
<sup>2</sup> Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height.					

**13. Credits and Omissions**

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z911	Omit Molded Head Support Pad	-\$20
Z907C	Omit Foot Supports	-\$45	Z912	Omit Complete Head Support Assembly	-\$50

**Some assembly of Raz products is required.**

**14. Notes****Specifications****Raz-CAT (Attendant Tilt)**

Weight Capacity	300 lbs
Overall Width	Seat width plus 4.5"
Overall Length (with MFX12 foot supports and headrest adjusted to middle positions)	
<ul style="list-style-type: none"> <li>• at 0° tilt</li> <li>• at 40°</li> </ul>	36.75" (rear casters trailing), 33.75" (rear casters leading) 44"
Seat Depth	11" or 16" depending on seat/cushion length
Clearance Height (under seat)	
<ul style="list-style-type: none"> <li>• with pan brackets</li> <li>• without pan brackets</li> </ul>	17"-21" (1" increments) 17.75"-21.75 (1" increments)
Clearance Width (to fit around toilet)	15.75" for standard 18"W seat frame. For other widths, seat frame width minus 2.25"
Arm Support Height - above molded seat (1/2" increments)	
<ul style="list-style-type: none"> <li>• 15"H Adjusta-Back</li> <li>• 18"H Adjusta-Back</li> <li>• 18"H Reclining Adjusta-Back</li> </ul>	5.5"-8" 6.5"-9" 6.5"-9"
Seat-to-Floor Height (with molded seat)	21"
Product Weight	55 lbs
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)