



Trakz-AP / Trakz-AT

MSRP – USA – USD
Effective June 26, 2026

Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Trakz Tub Sliders consist of three major components:

Mobile Base – Include height-adjustable aluminum frame, soft contoured seat cushion, molded vinyl back upholstery, swing-away removable padded arm supports, foot supports, four dual-locking 5" (125mm) casters and commode pan. The Trakz-AT Mobile Base also includes a rotational tilt system with a range of 0° to 35° and a head support.

Tub Base – Includes a toolless, height-adjustable aluminum frame with horizontal stabilizers.

Bridge – The patented Zbrilok safety system prevents unintentional seat release from either base.

Zbrilok™

The patented latching safety system, **Zbrilok**, ensures that the sliding seat assembly cannot be moved onto the bridge, from either the tub base or mobile base, unless the bridge is fully locked to both bases. This prevents the seat assembly from being released inadvertently and potentially causing injury to the client. The Raz Trakz is the only tub slider that has this safety feature.

1. Models: (NOTE: must select either T188 AND T1BASE / T1BASEV or T388 AND T3BASE / T3BASEV)

☐ T188	Trakz-AP (Attendant Propel) Non-Tilting Tub Slider Mobile Base	\$2,000
☐ T1BASEH	Tub Base for Trakz-AP includes adjustable-height frame and horizontal stabilizers (without tools)	\$2,220
☐ T1BASEV	Tub Base for Trakz-AP with Vertical Stabilizers (Tub Base for Step-in Shower)	\$2,220
☐ T388	Trakz-AT (Attendant Tilt) Tilting Tub Slider Mobile Base with 35° of rotational tilt	\$2,500
☐ T3BASEH	Tub Base for Trakz-AT includes adjustable-height frame and horizontal stabilizers (without tools)	\$2,720
☐ T3BASEV	Tub Base for Trakz-AT with Vertical Stabilizers (Tub Base for Step-in Shower)	\$2,720

2. Slide Orientation: (For Trakz-AT only) Must select one

☐ TSOL	Slide Orientation - Left	N/C
☐ TSOR	Slide Orientation - Right	N/C

Changing a Trakz-AT from right to left or left to right is easy. The tilt triggers are the only components that need to be relocated.



Slide Orientation – Left




Slide Orientation – Right

3. Seats:

Molded Seats		
☐ TSST	18"W x 17"D - Standard Seat for Trakz - Front Open	Standard
Visco-Foam Interface Seats (Increases the seat-to-floor height by 1.75") Only available for Trakz-AT		
☐ TVFI17FRO	18"W x 17"D – Front Access	\$425
☐ TVFI17BRI	18"W x 17"D – Front Bridged	\$425
☐ TVFI17RRO	18"W x 17"D – Rear Access	\$425
☐ TVFI20FRO	18"W x 20"D – Front Access	\$495
☐ TVFI20BRI	18"W x 20"D – Front Bridged	\$495
☐ TVFI20RRO	18"W x 20"D – Rear Access	\$495

4. Bridge Lengths (See next page for codes and prices)

Bridge Length without toilet interference



Calculated Bridge Length (CBL) – without toilet bowl interference

$$\text{Minimum CBL} = D_1 + 2" - 10.25"$$

Example: If $D_1 = 15"$

$$\text{Minimum CBL} = 15 + 2" - 10.25" = 6.75"$$


Select: TBL07 Bridge length – 7" or longer

D_1 = Distance between center of tub and outside of tub wall

10.25" = Half the width of the tub base

BL = Bridge length (round up to the nearest available size [See Sec 2 - previous page])

Bridge Length with toilet interference



Calculated Bridge Length (CBL) – with toilet bowl interference

$$\text{Minimum CBL} = D_2 - 10.25" - 3.5"$$

Example: If $D_2 = 25"$

$$\text{CBL} = 25" - 10.25" - 3.5"$$

$$\text{CBL} = 11.25"$$

Select: TBL11 Bridge length – 12"

BL = Bridge length (round up to the nearest available size [See Sec 2 - previous page])

D_2 = Distance between center of tub and near side of toilet bowl

4. Bridge Lengths (Continued)

☐	TBL07	Bridge – 7" length	\$975
☐	TBL08	Bridge – 8" length	\$975
☐	TBL09	Bridge – 9.5" length	\$975
☐	TBL10	Bridge – 10" length	\$975
☐	TBL12	Bridge – 12" length	\$975
☐	TBL14	Bridge – 14" length	\$975
☐	TBL16	Bridge – 16" length	\$975
☐	TBLC	Bridge – Custom length Enter length required _____"	\$1,295

5. Trakz Back Support Options

The standard Trakz back support includes 18"W molded, vinyl upholstery, wrap-around and removable padded arm supports.

☐	TFB1820	Fixed Back with molded vinyl upholstery – 18"W x 20"H	Standard
☐	TFBU1820	Fixed Back with Tension-Adjustable Upholstery – 18"W x 20"H	\$185
☐	TFBSB1820	Fixed Back with Symphony Back – 18"W x 20"H	\$295

6. Arm Supports – Wrap-around, swing-away, removable

☐	ZASWL	Arm Supports (pr) Wraparound – Long	Standard
☐	ZASWS	Arm Supports (pr) Wraparound – Short ¹	N/C

Arm Support Pads

☐	ZARMLL	Molded pad long 13" – Left (fits ZASWL)	Standard
☐	ZARMLR	Molded pad long 13" – Right (fits ZASWL)	Standard
☐	ZARMSL	Molded pad short 10" – Left (fits ZASWS)	N/C
☐	ZARMSR	Molded pad short 10" – Right (fits ZASWS)	N/C
☐	ZTAPLL	Tubular pad long 13" – Left (in lieu of molded pads, fits ZASWL)	N/C
☐	ZTAPLR	Tubular pad long 13" – Right (in lieu of molded pads, fits ZASWL)	N/C
☐	ZTAPSL	Tubular pad short 10" – Left (in lieu of molded pads, fits ZASWS)	N/C
☐	ZTAPSR	Tubular pad short 10" – Right (in lieu of molded pads, fits ZASWS)	N/C
☐	ZFAPLL	Molded Flat Armpad Long 14"L x 3.25"W – Left (fits ZASWL)	\$90
☐	ZFAPLR	Molded Flat Armpad Long 14"L x 3.25"W – Right (fits ZASWL)	\$90
☐	ZFAPSL	Molded Flat Armpad Short 10"L x 3"W – Left (fits TARMS)	\$90
☐	ZFAPSR	Molded Flat Armpad Short 10"L x 3"W – Right (fits TARMS)	\$90
☐	ZTRSL	Arm Trough - Small Left (16"L x 4.25"W) <i>NEW</i>	\$110
☐	ZTRSR	Arm Trough - Small Right (16"L x 4.25"W) <i>NEW</i>	\$110
☐	ZTRML	Arm Trough - Medium Left (18.5"L x 5"W)	\$110
☐	ZTRMR	Arm Trough - Medium Right (18.5"L x 5"W)	\$110
☐	ZTRSL	Arm Trough - Large Left (21"L x 5.25"W) <i>NEW</i>	\$110
☐	ZTRSR	Arm Trough - Large Right (21"L x 5.25"W) <i>NEW</i>	\$110
☐	ZPAML	Pivoting Arm Mount ² – Left (for ZFAPLL / ZFAPLR / ZTRSL / ZTRML / ZTRLL)	\$165
☐	ZPAMR	Pivoting Arm Mount ² – Right (for ZFAPLR / ZFAPSL / ZTRSR / ZTRMR / ZTRLR)	\$165
☐	ZAPSB18	Anterior Posture Support Bar (for ZARM only)	\$225

¹ Not compatible with ZPAM / ZFAPL / ZFAPS / ZTRM / ZTRL

² Recommended when Lateral Thoracic Support (ZTLS) and Molded Arm Throughs (ZTR) are both ordered.

7. Foot / Leg Supports and Accessories

☐	ZFSL	Foot Support – Left 16"-20.5" (For Trakz-AP ZFSHDL is used instead of ZFSL)	Standard
☐	ZFSR	Foot Support – Right 16"-20.5" (For Trakz-AP ZFSHDR is used instead of ZFSR)	Standard
☐	ZFET2L	Footrest Extension Tubes ¹ 2" longer – Left (for ZFSL)	\$25
☐	ZFET2R	Footrest Extension Tubes ¹ 2" longer – Right (for ZFSR)	\$25
☐	ZMFX8L	MFX8 Foot Support – Left 8"- 12"	\$20
☐	ZMFX8R	MFX8 Foot Support – Right 8"- 12"	\$20
☐	ZMFX12L	MFX12 Foot Supports – Left 12"-16.5"	\$35
☐	ZMFX12R	MFX12 Foot Supports – Right 12"-16.5"	\$35
☐	ZADML	Adj Angle/Depth Molded Footplates ² – Left (for ZFSL / ZMFX12L)	\$60
☐	ZADMR	Adj Angle/Depth Molded Footplates ² – Right (for ZFSR / ZMFX12R)	\$60
☐	ZFET2AL	Footrest Extension Tubes 2" longer – Left (for ZADML)	\$25
☐	ZFET2AR	Footrest Extension Tubes 2" longer – Right (for ZADMR)	\$25
☐	ZELRL	Elevating Leg Support – Left (includes ZADML)	\$495
☐	ZELRR	Elevating Leg Support – Right (includes ZADMR)	\$495
☐	ZRLSL	Universal Residual Limb Support – Left	\$195
☐	ZRLSR	Universal Residual Limb Support – Right	\$195
☐	ZCS18	Calf Strap, Snap-On – Bodypoint Aeromesh	\$105
☐	ZCSIC18	Calf Strap, Snap-On – Infection Control	\$95
☐	ZHS1820	H-Strap – hook and loop attachment	\$90
☐	ZAHL	Adjustable Heel Loops (pr)	\$60
☐	ZNC	Neoprene Cover for Standard Footplate (pr)	\$90
☐	ZNCA	Neoprene Cover for Angle/Depth Adjustable Footplates (pr)	\$90

¹ Not compatible with ZMFX8

² Not compatible with ZMFX8 / ZVS

8. Positioning Pads

Head Supports			
☐	THSP1	Head Support Pad for T388 – Small (10" x 4")	Standard
☐	THSP2	Head Support Pad for T388 – Large (12" x 6")	\$50
☐	THSA1	Head Support Assembly for T188 – with Small Pad (10" x 4")	\$495
☐	THSA2	Head Support Assembly for T188 – with Large Pad (12" x 6")	\$545
Lateral Thoracic Supports – Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For up to 4.5" medial offset, select ZLAEP extension plate.			
☐	ZLTSWA1L	Lateral Thoracic Support for Wraparound Arm w/ Small Pad – Left	\$325
☐	ZLTSWA1R	Lateral Thoracic Support for Wraparound Arm w/ Small Pad – Right	\$325
☐	ZLTSWA2L	Lateral Thoracic Support for Wraparound Arm w/ Large Pad – Left	\$325
☐	ZLTSWA2R	Lateral Thoracic Support for Wraparound Arm w/ Large Pad – Right	\$325
Extension Plates for Lateral Thoracic Supports			
These plates allow for an additional 1.5" medially and can be used with Lateral Thoracic Supports			
☐	ZLAEPL	Lateral Extension Plate – Left	\$28
☐	ZLAEPR	Lateral Extension Plate – Right	\$28

9. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts			Chest Belts		
☐ ZPBM	Pelvic Belt – Medium (2-piece w/ side-release buckle)	\$50	☐ ZCBM	Chest Belt ² – Medium (1-piece w/ hook and loop closure)	\$45
☐ ZPBL	Pelvic Belt – Large (2-piece w/ side-release buckle)	\$50	☐ ZCBL	Chest Belt ² – Large (1-piece w/ hook and loop closure)	\$45
☐ ZPBICM	Infection Control Pelvic Belt ¹ – Medium (2-piece w/ side-release buckle)	\$75	☐ ZCBICM	Infection Control Chest Belt ^{1,2} – Medium (1-piece w/ side-release buckle)	\$75
☐ ZPBICL	Infection Control Pelvic Belt ¹ – Large (2-piece w/ side-release buckle)	\$85	☐ ZCBICL	Infection Control Chest Belt ^{1,2} – Large (1-piece w/ side-release buckle)	\$85
☐ ZPBBPM	Pelvic Belt – Bodypoint Aeromesh – Med	\$215	☐ ZCBBPM	Chest Belt – Bodypoint Aeromesh – Med	\$215
☐ ZPBBPL	Pelvic Belt – Bodypoint Aeromesh – Large	\$215	☐ ZCBBPL	Chest Belt – Bodypoint Aeromesh – Large	\$215
¹ Non-absorbent belts – recommended for infection-control environments ² Optional tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM / ZCBL). When the chair is supplied with a Symphony Back, Chest Belt loops are provided.					

10. Other

☐ ZIHW	Whizard – winged urine deflector – Has patented lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.	\$67
☐ ZSS	SplaShield – Molded urine deflector (must be held in place during use)	\$125
☐ ZSCSI	Slide-In Splash Curtain – Vinyl curtain, slides into commode pan brackets	\$345

11. Credits and Omissions

☐ Z905	Omit Commode Pan and Mounting Brackets	–\$20	☐ Z911	Omit Molded Head Support Pad (T388 only)	–\$20
☐ Z907	Omit Foot Supports – if no other Foot / Leg Support Option is selected	–\$45	☐ T912	Omit Complete Head Support Assembly (T388 only)	–\$50

Some assembly of Raz products is required.

12. Notes:

Specifications

Trakz-AP Attendant Propel

Trakz-AT Attendant Tilt

Weight Capacity	350lbs (160kg)	
Overall Width	23" (58.5cm)	
– with arm supports		
– without arm supports		
Overall Length with standard footrests	35.5" (90.25cm)	36" (91.5cm)
Tilt Range	N / A	35°
Back Support Height	20" (51cm)	
Bridge Length	9.5" (24cm), 12.5" (32cm), 16.5" (42cm) + custom lengths	
Underside of Bridge to Top of Seat	6.25" (15.75cm)	8.5" (21.5cm)
Underside of Bridge to Floor		
– high base configuration	15"- 19" (38-48cm) in 1" (2.54cm) incr.	
– low base configuration	10"-14" (25-35.5cm) in 1" (2.54cm) incr.	
Seat Width	18" (46cm)	
Seat Depth	17" (43cm)	
Clearance Height Under Seat		
– high base configuration	16.25"-20.25" (41-51.5cm) in 1" (2.54cm) incr.*	
– low base configuration	11.25"-15".25 (28.5-38.75cm) in 1" (2.54cm) incr.*	
* without brackets +0.75"		
Arm Support Height Above Seat	10" (25.5cm)	
Seat-to-Floor Height		
– high base configuration	22"-25" (56-63.5cm) in 1" (2.54cm) incr.	24.5"-27.5" (60-70cm) in 1" (2.54) incr.
– low base configuration	17"-21" (43.5-53.5cm) in 1" (2.54cm) incr.	19.5"-23.5" (49.5-70cm) in 1" (2.54) incr.
Product Weight	77.5 lbs (35kg)	95 lbs (43kg)
Frame Materials		
– mobile base frame	Aluminum	
– tub base frame	Aluminum	
– bridge	Aluminum	
– back frame and footrests	Stainless Steel	
– hardware	Stainless Steel	