



# Raz-AP

MSRP – USA – USD  
Effective July 1, 2020

Date: \_\_\_\_\_

Dealer / Location: \_\_\_\_\_ T: \_\_\_\_\_ F: \_\_\_\_\_

PO# / Client: \_\_\_\_\_ Contact: \_\_\_\_\_ Email: \_\_\_\_\_

**Raz-AP** Attendant Propel Mobile Shower Commode Chair. Includes height-adjustable stainless steel frame, flip-up padded arm supports, commode pan, foot supports and four 5" dual-locking casters. Standard seat-to-floor height range is 20"-24". Exclusive to Raz, all seats include the Ischial Pelvic Alignment System [IPAS], which allows for 2" fore/aft adjustment. **User weight capacity 400 lbs.** Please enter special set-up requests, such as arm support height, in Notes [Sec.15]. For custom modifications of frames and accessories, please contact Raz directly. To assist with evaluation and medical justification, see our [Evaluation and Justification Form](#).

## 1. Chair Codes by size – Must Choose One

Z10018	Raz-AP w/ 18"W base frame – Standard base frame size, will fit over most toilets <sup>1</sup>	\$1,595
Z100__*	Raz-AP w/ non-standard base frame width – *add custom width to complete order code (16"/20"/22") – Must add upcharge for custom frame width [see below] – Adjusta-Back must be selected for all custom frame widths [Sec.5]	\$1,595
Z100R18	Raz-AP w/ 18"W recliner base frame – Must add Reclining Back option Z515APR18/Z520APR [Sec.4]	\$1,995
Z100R__*	Raz-AP w/ non-standard recliner base frame width [*add custom width to complete order code (16/20/22)] – Must add upcharge for custom frame width [see below] – Must add Reclining Back option Z515APR__ / Z520APR__ [Sec.5]	\$1,995
<b>Custom Base Frame Width - May require custom seat</b>		
Z1SW16	Upcharge for custom 16"W frame <sup>2</sup> – will not fit over most toilets	\$495
Z1SW20	Upcharge for custom 20"W frame <sup>3</sup>	\$495
Z1SW22	Upcharge for custom 22"W frame <sup>4</sup>	\$595
<sup>1</sup> Fits all 18"W seats. <sup>2</sup> Visco-Foam Interface seats can be modified to fit. <sup>3</sup> 18"W seats can be selected but must also select Seat Support Adapter Kit Z4SSKAS [Sec.2]. <sup>4</sup> Z4V23N Visco Foam Interface HD seat can be modified to fit. Seat depth range (IPAS) will be 18"-20".		
<b>Custom Base Frame Length and Height</b>		
Z1LNGF3	Upcharge – custom 3" Longer Frame recommended for seat depths 20"/21", req for seat depths 21"-24"	\$395
Z1LOWF4	Upcharge – custom 4" Lower Frame – reduces seat height range to 16"-18" from std height range of 20"-24" with molded seat (16"-18")	\$395
<sup>5</sup> Call for quotation for recliner frame modifications. <sup>6</sup> To lower chair by an additional 1" (15"-17"), add 4" caster upgrade option Z64AP [Sec.13].		

## 2. Seats – Standard

Molded Seats (thickness ~2.5"-3")			Visco-Foam Interface Seats (thickness ~3.5")		
Z405	18"W x 16"D – Front Access	Standard	Z436BRI	18"W x 16"D – Front Bridged	\$425
Z410	18"W x 16"D – Front Bridged	N/C	Z436FRO	18"W x 16"D – Front Access	\$425
Z415	18"W x 19"D – Front Access	\$135	Z436LTO	18"W x 16"D – Left Access	\$425
Z420	18"W x 19"D – Front Bridged	\$135	Z436RTO	18"W x 16"D – Right Access	\$425
<b>Specialty Seats</b>			Z436RRO	18"W x 16"D – Rear Access	\$425
Z4SOM	Shower-Only Seat – Molded 18"W x 16"-21"D	\$395	Z439BRI	18"W x 19"D – Front Bridged	\$495
Z4EJRM	E&J Replica Seat – Molded – 18"W x 17"D	\$295	Z439FRO	18"W x 19"D – Front Access	\$495
Z4EJRV	E&J Replica Seat – Visco Foam – 18"W x 17"D	\$895	Z439LTO	18"W x 19"D – Left Access	\$495
Z4V23N	23"W x 18"D HD –Visco Foam – Front Access Notched at rear to maintain fore /aft adjustment range (IPAS) – 22"W frame	\$695	Z439RTO	18"W x 19"D – Right Access	\$495
Z4SSKAS	Seat Support Kit for Raz-AP/SP – for seat 2" narrower than seat frame	\$145	Z439RRO	18"W x 19"D – Rear Access	\$495
			Z4GSB__*	Custom Gimballed Seat Brackets – for adding dump angle (pr) Specify additional height at front of seat to complete code (1.0"/1.5"/2.0")	\$295

### 3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

Z4CS	Custom Seat (enter specs below) <b>Select if both width and depth are ≤ 21"</b>	\$795
Z4CEJR	Custom E&J Replica Seat (enter specs below) <b>Select if both width and depth are ≤ 21"</b>	\$995
Z4CSHD	Heavy Duty Custom Seats (enter specs below) <b>Select if width and/or depth is ≥ 22"</b>	\$1,095

#### Custom Specifications (for above custom seats)

Seat Frame Width:	-- 16" / 18" / 20" / 22"
Custom Seat Width:	-- 16" / 18" / 20" / 22" / 24" (cannot be more than 2" wider than seat width)
Custom Seat Depth:	-- 15" / 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires Long Frame (Z1LNGF3)]
Access Opening:	-- FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged
Access Opening Width:	-- 2.5" / 3.0" / 3.5" / 4.0" / 4.5" / 5.0" (3.5"W is standard)
Aperture Width:	-- 3.0"-8.0" (6.5" recommended) – enter "NA" if aperture is not required

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom Seat width should not be narrower than frame width.
- Custom Seat can be up to 2" wider than seat frame width to provide additional thigh support without ordering wider chair frame.
- The Ischial Pelvic Alignment System (IPAS) allows 2" fore/aft adjustment of the seat (seat depth and aperture position) on all seats.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, etc.

### 4. Fixed Back Frames (18"W only)

These are called "Fixed" Backs because the arm supports are not adjustable in height. Includes tension-adjustable back upholstery, fixed-height flip-up padded arm supports, back angle adjustment (85°/90°/95°) with cane-style posts. Back heights are nominally measured from top of standard molded seat to top of back upholstery. Back upholstery can be positioned 2.5" higher than nominal height indicated below. e.g. 20"H can be increased to 22.5"H

Z505	Fixed Back – 17" Height <sup>1</sup>	N/C	Z506	Fixed Back – 20" Height <sup>1</sup>	\$70
------	--------------------------------------	-----	------	--------------------------------------	------

<sup>1</sup> Armrest Lock Kit (Z710) [Sec.8] is not included.

### 5. Adjusta-Back Frames


Includes height- and angle-adjustable arms with Armrest Lock Kit (Z710), tension-adjustable back upholstery, flip-up padded arm supports, back angle adjustment (85°/90°/95°). Back heights of 15"/17"/20" include cane-style posts, on which back upholstery can be positioned 2.5" higher than nominal height indicated below. e.g. 20"H can be moved up to 22.5"H. The 24"H Adjusta-Back includes straight posts, on which the upholstery cannot be raised.

Standard Width Adjust-Backs (18"W)			Non-Standard Width Adjust-Backs		
Z50918	Adjusta-Back – 15"H	\$225	<b>* Complete Adjusta-Back order code by adding desired back frame width (16"/20"/22") Note: 18" is the standard width.</b>		
Z51018	Adjusta-Back – 17"H	\$225	Z509_*	Adjusta-Back – 15"H non-std width	\$225
Z51518	Adjusta-Back – 20"H	\$295	Z510_*	Adjusta-Back – 17"H non-std width	\$225
Z52018	Adjusta-Back – 24"H	\$345	Z515_*	Adjusta-Back – 20"H non-std width	\$295
Z5DTL	Dual Triggers – both on left side <sup>1</sup>	N/C	Z520_*	Adjusta-Back – 24"H non-std width	\$345
Z5DTR	Dual Triggers – both on right side <sup>1</sup>	N/C	Z515APR_*	Reclining Adjusta-Back w/ 30° recline, 20" back height, 2-Point Reclining Arms (incl. Rear Anti-Tippers)	\$895
Z515APR18	Reclining Adjusta-Back w/ 30° recline, 20" back height, 2-Point Reclining Arms (incl. Rear Anti-Tippers)	\$895	Z520APR_*	Reclining Adjusta-Back w/ 30° recline, 24" back height, 2-Point Reclining Arms (incl. Rear Anti-Tippers)	\$995
Z520APR18	Reclining Adjusta-Back w/ 30° recline, 24" back height, 2-Point Reclining Arms (incl. Rear Anti-Tippers)	\$995			

<sup>1</sup> Dual Tilt Triggers option positions both triggers on one side, allowing for single-handed activation. Available for all back widths.

## 6. Custom Back Frame Width Narrower Than Chair Frame Width – Must choose back frame [Sec.5] (configurations below are not available for recliner backs)

NOTE: For back frame width variances on recliner frames, please request custom quotation.

Z5NB__ __ *	Custom – Back Frame 2” Narrower than chair frame	\$345	Chair Frame Width	16” <sup>1</sup>	18” <sup>2</sup>	20” <sup>3</sup>	22” <sup>4</sup>	
			Back Frame Width	14”	16”	18”	20”	

\* Enter chair and back frame widths to complete code.  
eg. Z5NB2018 specifies a 20”W chair frame with an 18”W back frame

<sup>1</sup> Requires Custom Seat  
<sup>2</sup> Compatible with all 18”W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface seats.  
<sup>3</sup> Custom Seat recommended. Also compatible with all 18”W seats with Seat Support Kit Z4SSKAS.  
<sup>4</sup> Custom Seat recommended. Also compatible with modified Z4V23N (18” seat depth with limited adjustability)

## 7. Back Support Options – These back supports replace the standard, tension-adjustable upholstery and are recommended for infection-control environments.

Z5S14	14”W Symphony Back <sup>1</sup> – recessed solid back	\$395	Z749	Harmony Back <sup>2</sup> (contoured solid back – 18”W x 13”H) Fits 17” or 20” back heights, 18”W back widths only	\$245
Z5S16	16”W Symphony Back <sup>1</sup> – recessed solid back	\$395			
Z5S18	18”W Symphony Back <sup>1</sup> – recessed solid back	\$395			
Z5S20	20”W Symphony Back <sup>1</sup> – recessed solid back	\$495			
Z5S22	22”W Symphony Back <sup>1</sup> – recessed solid back	\$595			

<sup>1</sup> Not compatible w/ 15” back height – Symphony Back panels are 13”H  
<sup>2</sup> Not compatible with 15” and 24” back heights. Not recommended for reclining backs.

## 8. Arm Supports and Accessories

Z5BAR13	Flip-Up Arm Supports – 13”L pad (pr)	Std	Z7PAML	Pivoting Arm Mount <sup>3</sup> – Left (for Z7FL/Z7TR)	\$165
Z5BAR10	Flip-Up Arm Supports – 10”L pad (pr) (not compatible with Z7FL/Z7FS/Z7TR/Z7PAM)	N/C	Z7PAMR	Pivoting Arm Mount <sup>3</sup> – Right (for Z7FL/Z7TR)	\$165
Z710	Arm Support Lock Kit (for Z505/Z506) (pr)	\$75	Z718	Arm Support Spacer Kit – 1/2” per side (for Z509/Z510/Z515/Z520) (pr)	\$60
Z52PAS	2-Point Flip-up Arm Supports <sup>1</sup> (pr) (standard with reclining backs)	\$345	Z719	Arm Support Spacer Kit – 1” per side (for Z509/Z510/Z515/Z520) (pr)	\$115
Z7FLL	Long Molded Flat Armpad <sup>2</sup> – Left (14”L x 3.25”W, fits Z5BAR13)	\$95	Z7PHG	Pivoting Hand Grips (pr)	\$395
Z7FLR	Long Molded Flat Armpad <sup>2</sup> – Right (14”L x 3.25”W, fits Z5BAR13)	\$95	Z7APS__*	Anterior Posture Support Bar * Enter back frame width to complete code (14”/16”/18” <sup>5</sup> ) <sup>3,4</sup>	\$195
Z7FSL	Short Molded Flat Armpad – Left (10”L x 3”W, fits Z5BAR10)	\$95	Z7APS__*	Anterior Posture Support Bar * Enter back frame width to complete code (20”/22”) <sup>3,4</sup>	\$225
Z7FSR	Short Molded Flat Armpad – Right (10”L x 3”W, fits Z5BAR10)	\$95			
Z7TRL	Molded Arm Trough <sup>2</sup> – Left (18.5”L x 4.5”W, fits Z5BAR13)	\$110			
Z7TRR	Molded Arm Trough <sup>2</sup> – Right (18.5”L x 4.5”W, fits Z5BAR13)	\$110			

<sup>1</sup> For chairs with same back width and frame width only  
<sup>2</sup> May require Z7PAM for arm support to flip up and/or for lateral supports to swing away  
<sup>3</sup> Not compatible with Z5BAR10  
<sup>4</sup> Not compatible with Z7FL/Z7FS/Z7TR  
<sup>5</sup> Special length required with Z718 (+1”) and Z719 (+2”)

**9. Foot and Leg Supports** – Standard Foot Supports (Z705N) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (Z7ELRL), the chair will be supplied with one Foot Support (Z705N) on the right side and a Z7ELRL on the left side.

Z705N	Foot Supports 16"-20.5" (pr)	Std	Z7ELRL	Elevating Leg Support <sup>4</sup> – Left (includes Z7ADM)	\$475
Z705N16	Foot Supports for 16"W frames 16"-20.5" (pr)	N/C	Z7ELRR	Elevating Leg Support <sup>4</sup> – Right (includes Z7ADM)	\$475
Z7FET2	Footrest Extension Tubes 2" longer <sup>1</sup> (pr)	\$50	Z7ELROFL	Forward Offset Elevating Leg Support <sup>5</sup> – Left (incl Z7ADM)	\$525
Z7MFX8	MFX8 – Foot Supports 8"-12" (pr)	\$75	Z7ELROFR	Forward Offset Elevating Leg Support <sup>5</sup> – Right (incl Z7ADM)	\$525
Z7MFX12	MFX12 – Foot Supports 12"-16.5" (pr)	\$175	Z7RLSL	Universal Residual Limb Support – Left	\$395
Z7ADM	Angle/Depth Adj Molded Footplates <sup>2</sup> (pr)	\$190	Z7RLSR	Universal Residual Limb Support – Right	\$395
Z7FET2A	Footrest Extension Tubes for Z7ADM (pr) (2" longer)	\$50			
Z7ADABS	Angle/Depth Adj ABS Footplates (pr) for 16"W frames	\$190			
Z7VS	V-Style Foot Support <sup>3</sup> (1-piece)	\$195			
Z7FBAS	Flip-Back Foot Support <sup>3</sup> (1-piece)	\$195			
<sup>1</sup> Not compatible with Z7MFX8/Z7ADM/Z7VS <sup>2</sup> Not compatible with Z10016 or Z7MFX8 <sup>3</sup> Custom required for sizes other than 18"W			<sup>4</sup> Z7ELRL/R compatible with frame widths ≥ 18" and adjusted seat depths ≤ 18" or ≤ 21" w/ 3" longer seat frames (Z1LNGF3) <sup>5</sup> Z7ELROFL/R compatible with frame widths ≥ 18" for adjusted seat depths 19"-20" on standard frame or 22"-23" w/ 3" longer seat frames (Z1LNGF3)		

## 10. Foot and Leg Support Accessories

Z7FSLK	Foot Support Lock (pr)	\$95	Z7NCS	Neoprene Covers for Standard Footplates (pr)	\$90
Z7CS_*	Snap-On Calf Strap – Bodypoint Aeromesh * Enter frame width to complete code (16"/18"/20"/22")	\$95	Z7NC16	Neoprene Covers for narrow molded footplates (pr)	\$90
Z737CPL	Calf Panel – Bodypoint Aeromesh <sup>1</sup> Fits frame widths (16"/18"/20")	\$175	Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$90
Z706	H-Strap – for 18"/20"W frames – hook and loop attachment	\$90	Z7NCABS	Neoprene Covers for ABS Adj Angle/ Depth Footplates Z7ADABS (pr)	\$90
Z712	H-Strap – for 22"W frames – hook and loop attachment	\$110	Z7OFLM	Lateral Offset Foot Support Receiver – moves foot support 2" laterally or medially Quantity (1 or 2) ___	\$160
Z708ADJ	Adjustable Heel Loops (pr) – not available for Z7VS / Z7FBAS	\$60			
			<sup>1</sup> Not compatible with Z7MFX8 / Z7FBAS / Z7VS		

**11. Positioning Pads**

Z7HSASS	Head Support w/ Small Pad (10" x 4")	\$495	Z7LGAS1L	Leg Adductor w/ Small Pad <sup>1</sup> – Left	\$320
Z7HSASL	Head Support w/ Large Pad (12" x 6")	\$545	Z7LGAS1R	Leg Adductor w/ Small Pad <sup>1</sup> – Right	\$320
Z7OHIP	Lateral Offset Head Support Interface Plate– up to 22° of adjustment	\$95	Z7LGAS2L	Leg Adductor w/ Large Pad <sup>1</sup> – Left	\$320
Z7LTS1L	Lateral Thoracic Support w/ Small Pad <sup>1,2</sup> – Left	\$320	Z7LGAS2R	Leg Adductor w/ Large Pad <sup>1</sup> – Right	\$320
Z7LTS1R	Lateral Thoracic Support w/ Small Pad <sup>1,2</sup> – Right	\$320	Z7HP1L	Hip Adductor w/ Small ad <sup>1,3</sup> – Left	\$320
Z7LTS2L	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Left	\$320	Z7HP1R	Hip Adductor w/ Small Pad <sup>1,3</sup> – Right	\$320
Z7LTS2R	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Right	\$320	Z7HP2L	Hip Adductor w/ Large Pad <sup>1,3</sup> – Left	\$320
Z742L	Lateral/Adductor Extension Plate (5.5" x 3.5") – Left	\$25	Z7HP2R	Hip Adductor w/ Large Pad <sup>1,3</sup> – Right	\$320
Z742R	Lateral/Adductor Extension Plate (5.5" x 3.5") – Right	\$25			

<sup>1</sup> Adjustable Pad Sizes: Small – 5.5" x 3.5" / Large – 6.75" x 4.3".  
<sup>2</sup> Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify Z742 extension plate.  
<sup>3</sup> Fits Adjusta-Back only

**12. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt**

Pelvic Belts				Chest Belts					
ZPBS	Pelvic Belt – Small (frame widths 14-16", 2-piece w/ side-release buckle)	\$35	ZCBS	Chest Belt <sup>2</sup> – Small (back widths 14"-16", 1-piece w/ hook and loop closure)	\$35				
ZPBM	Pelvic Belt – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$35	ZCBM	Chest Belt <sup>2</sup> – Medium (back widths 16"-18", 1-piece w/ hook and loop closure)	\$35				
ZPBL	Pelvic Belt – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$45	ZCBL	Chest Belt <sup>2</sup> – Large (back widths 18"-22", 1-piece w/ hook and loop closure)	\$45				
ZPBXL	Pelvic Belt – XLarge (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$55	ZCBXL	Chest Belt – XLarge <sup>2</sup> (back frame widths 22"-30", 1-piece w/ hook and loop closure)	\$55				
ZPBICS	Infection Control Pelvic Belt <sup>1</sup> – Small (frame widths 14"-16", 2-piece w/ side-release buckle)	\$75	ZCBICS	Infection Control Chest Belt <sup>1,2</sup> – Small (back widths 14-16", 1-piece w/ side-release buckle)	\$75				
ZPBICM	Infection Control Pelvic Belt <sup>1</sup> – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$85	ZCBICM	Infection Control Chest Belt <sup>1,2</sup> – Medium (back widths 16"-18", 1-piece w/ side-release buckle)	\$75				
ZPBICL	Infection Control Pelvic Belt – Large <sup>1</sup> (frame widths 18"-22", 2-piece w/ side-release buckle)	\$95	ZCBICL	Infection Control Chest Belt <sup>1,2</sup> – Large (back widths 18"-22", 1-piece w/ side-release buckle)	\$85				
ZPBICXL	Infection Control Pelvic Belt – XLarge <sup>1</sup> (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$105	ZCBICXL	Infection Control Chest Belt <sup>1,2</sup> – XLarge (back frame widths 22"-30", 1-piece w/ side-release buckle)	\$95				
ZPBBPS	Pelvic Belt – Bodypoint Aeromesh – Small	\$245	ZCBBPS	Chest Belt – Bodypoint Aeromesh – Small	\$255				
ZPBBP_*	Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$195	ZCBBP_*	Chest Belt – Bodypoint Aeromesh * enter size to complete code (M / L / XL)	\$205				
ZPBBPXL	Pelvic Belt – Bodypoint Aeromesh – XLarge	\$165							
<b>Recommended sizes for Bodypoint belts</b>	Chest belt	ZCBBPS	14"-16"W back frame	ZCBBPM	16"-18"W back frame	ZCBBPL	18"-22"W back frame	ZCBBPXL	22"-30"W back frame
	Pelvic belt	ZPBBPS	14"-16"W base frame	ZPBBPM	16"-18"W base frame	ZPBBPL	18"-22"W base frame	ZPBBPXL	22"-30"W base frame

<sup>1</sup> Non-absorbent belts – recommended for infection-control environments

<sup>2</sup> Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.

**13. Other**

Z673	Directional Caster Lock – fits on left rear caster (facilitates steering)	\$145	ZIHW	Whizard – winged urine deflector <sup>3</sup>	\$67
Z66AS4	Anti-Tippers for 4" casters <sup>1</sup> (pr) Rear Front	\$245	ZBUDBH_ _ *	Bard Urine Drainage Bag Holder * Enter size to complete code (16" / 18" / 20" / 22")	\$155
Z66AS5	Anti-Tippers for 5" casters <sup>1</sup> (pr) Rear Front	\$245			
Z66AS6	Anti-Tippers for 6" casters <sup>1</sup> (pr) Rear Front	\$245			
Z64AP	4" Caster Upgrade (4x)	\$280			
Z66AP	6" Caster Upgrade (4x)	\$350			
ZPSK1	Commode Pan Spacer Kit <sup>2</sup> – 1" lower	\$200			
ZPSK2	Commode Pan Spacer Kit <sup>2</sup> – 2" lower	\$215			
ZPSK3	Commode Pan Spacer Kit <sup>2</sup> – 3" lower	\$230			
ZPSK4	Commode Pan Spacer Kit <sup>2</sup> – 4" lower	\$245			

<sup>1</sup> Included with Reclining Back Option (Z515APR/Z520APR) [Sec.5]  
<sup>2</sup> Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height.  
<sup>3</sup> Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.

**14. Credits and Omissions**

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z907	Omit Foot Supports - if no other Foot / Leg Support Option is selected	-\$45
------	--	-------	------	--	-------

**Some assembly of Raz products is required.**

**15. Notes:**

--

**Specifications****Raz-AP (Attendant Propel)**

Weight Capacity	400 lbs
Overall Width	Seat width plus 4.5" with Standard Arm Pads
Overall Length (foot supports in middle position)	36.5" (with rear caster trailing), 35" (to rear canes)
Seat Depth	16" or 21" depending on seat/cushion length
Toilet Clearance Height (under seat)	
- with pan brackets	17"-21" (1" increments)
- without pan brackets	17.75"-21.75 (1" increments)
Toilet Clearance Width	16" for standard 18"W seat frame. For other widths, seat frame width minus 2"
Arm Support Height - above molded seat (1/2" increments)	
- <b>17"H Fixed Back - standard</b>	<b>8.5"</b>
- 20"H Fixed Back	9.5"
- 15"H Adjusta-Back	5.5"-8.5"
- 17"H Adjusta-Back	6.5"-9.5" (1/2" increments)
- 20"H Adjusta-Back	7.5"-10.5" (1/2" increments)
- 24"H Adjusta-Back	7.5"-10.5" (1/2" increments)
- 20"H Reclining Adjusta-Back	7.5"-10.5" (1/2" increments)
- 24"H Reclining Adjusta-Back	7.5"-10.5" (1/2" increments)
Seat-to-Floor Height (with molded seat)	20"
Product Weight (with 18"W seat)	38 lbs
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)